Author Index of Volume 176

Akimoto, J., 319
Alekseev, E. S., 1
Artigas, M., 105
Auffermann, G., 255, 263

Bacmann, M., 105
Bastl, Z., 159
Beck, F.-H., 347
Belbacha, E., 25
Bernard, C., 187
Borowiec, K., 225
Brokamp, Th., 47
Bronger, W., 167, 255, 263
Bros, J. P., 13
Buschow, K. H. J., 115

Černý, S., 159
Charles, J., 25

Du, Y., 183
Dugne, O., 187
Dumke, V. R., 247
Durussel, Ph., 173

Eglmeier, Ch., L13
El Bouri, A., 7
El Hammioui, M., 7

Feltz, A., 347
Feschotte, P., 173
Fruchart, D., 105, L5
Fruchart, R., 105
Fujimori, H., 285

Gambino, M., 13
Gehlen, M., 255
Gerard, N., 7
Givord, D., L5
Gladyshevskii, R. E., 329
Gotoh, Y., 319
Gubbens, P. C. M., 115
Guette, A., 187

Harris, I. R., L5
Hertz, J., 25

Heuser, J., 89
Heyns, A. M., L17
Hisatsune, K., 269
Homma, M., 215

Jacobs, H., 47
Jacobs, T. H., 115
Janczak, J., 133
Jeżowski, A., 233
Jin, Z., 183
Ju, J.-B., 97
Jung, W.-G., 301, 309

Kanellakopulos, B., 89
Kim, Y.-B., 215
Kleppa, O. J., 301, 309
Kobel, M., 39
Köhler, J., 123
Kolbrecka, K., 225
Kowalczyk, J., 263
Kubiak, R., 133
Kuckel, M., 167

Larchev, V. I., 1
Legendziewicz, J., 337
Lim, C., 97

Maier, R., 89
Meyer, G., 337
Mintz, M. H., 77
Miraglia, S., 184
Misiorek, H., 233
Moolenaar, A. A., 115
Mucha, J., 233
Müller, P., 167, 263
Müller, R., 167
Müller-Buschbaum, Hk., 39, 61, 69, 141

Nagabhooshanam, M., 247
Naslain, R., 187
Neidnicht, B., 347
Notin, M., 25
Nozières, J. P., L5

Obi, Y., 285
Oczko, G., 337

Okada, M., 215
Onoda, M., 319
Oosawa, Y., 319

Palenzona, A., 241
Parthé, E., 329
Popova, S. V., 1
Prouhet, S., 187
Pyun, S.-IL., 97

Range, K.-J., L13, L17
Rao, K. V., 285
Rossignol, M. F., L5

Schleid, T., 337
Schuster, H.-U., 167
Sciora, E., 7
Simon, A., 123
Soll, M., 61
Sologub, O. L., 329
Sorokina, N. I., 233
Sosrosoedirdjo, B. I., 269
Sugimoto, S., 215
Svensson, G., 123

Tani, T., 269
Taylor, D. W., L5
Topor, L., 309

Udoh, K.-I., 147, 269

Van Landuyt, J., 147
Van Tendeloo, G., 147
Vassilev, G. P., 295
Vassiliev, V., 13
Veerender, C., 247
Vogt, R., 61, 69

Wilkens, J., 141
Wolfers, P., 105

Yasuda, K., 147, 269
Yong, D., L1

Zhanpeng, J., L1

Elsevier Sequoia, Lausanne

Journal of Alloys and Compounds, 176 (1991) 361–365

Subject Index of Volume 176

Actinoids
molecular structure and charge distribution in organometallics of the 4f and 5f elements
I: Dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $An(C_5H_5)_4$, 89
Age-hardening characteristics
age-hardening characteristics in an AuCu–14at.%Ag alloy, 269
Aluminides
standard molar enthalpies of formation of PdAl, PtAl, $ScAl_{1.78}$, YAl_2 and $LaAl_2$, 309
Aluminium
hydriding of an industrial Al–2.7wt.%Li–Cu–Mg–Zr alloy, 7
Amorphization
spin-glass-like behaviour of manganese-based amorphous Mn×X alloys (X≡3d, 4d, 5d metals) and its dependence on the Mn–Mn interatomic spacing, 285
Antimony
the binary systems Pd–Sb and Pt–Sb, 173
new AMnX compounds where A≡Rb, Cs and X≡P, As, Sb, Bi: structure and magnetism, 167
Arsenic
new AMnX compounds where A≡Rb, Cs and X≡P, As, Sb, Bi: structure and magnetism, 167

Barium
$Ba_{12}Ir_{12-x}Nb_xO_{36}$ ($x=2,4$) — a new compound with the 12R-perovskite stacking variant, 141
a new structure type with trigonal-bipyramidal coordination of copper: $BaMg_2Cu_8V_6O_{26}$, 69
single-crystal X-ray diffraction studies of $BaNb_4O_6$ and $Ba_2Nb_5O_9$, 123
standard Gibbs free energy of formation of $BaCuO_2$ and $BaCu_2O_2$ from oxides, 225
Bismuth
preparation and characterization of Bi-containing ternary chalcogenides with layered composite crystal structure, 319
Boron
on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a BF_3–NH_3 precursor, 187

Cadmium
molar heat capacities of CdTe, HgTe and CdTe–HgTe alloys in the solid state, 13
structure refinement of two cadmium rare earth selenospinels $CdTm_2Se_4$ and $CdHo_2Se_4$, L13
Caesium
new AMnX compounds where A≡Rb, Cs and X≡P, As, Sb, Bi: structure and magnetism, 167
Carbon monoxide
X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159
Cerium
the phase diagram of the Ce–Ru system, 241
Chemical vapor deposition/infiltration
on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a BF –NH3 precursor, 187
Cobalt
thermodynamics of the ternary Co–Ni–Zn f.c.c. solutions, 295
on the crystal chemistry of oxovanadates: γ-CoV_2O_6 and MnV_2O_6, 39
Copper
age-hardening characteristics in an AuCu–14at.%Ag alloy, 269

Elsevier Sequoia, Lausanne

a new structure type with trigonal-bipyramidal coordination of copper: $BaMg_2Cu_8V_6O_{26}$, 69
microstructure of AuCu II in the disordered f.c.c. phase of AuCu–14at.%Ag alloy, 147
mixed-crystal formation and metal distribution in the system $MgO–AO–V_2O_5$ (A ≡ Ni, Zn, Cu), 61
standard Gibbs free energy of formation of $BaCuO_2$ and $BaCu_2O_2$ from oxides, 225
X-ray study of ordered phase formation in $Au_{31.6}Cu_{68.4}$, $Au_{50}Cu_{50}$ and $Au_{75}Cu_{25}$, 133

Crystal structure
preparation and characterization of Bi-containing ternary chalcogenides with layered composite crystal structure, 319

Dysprosium
X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159

Enthalpies of formation
standard molar enthalpies of formation of Hf_3Ge_2, MeGe (Me ≡ Ir, Pt) and Pt_2Ge, 301
standard molar enthalpies of formation of PdAl, PtAl, $ScAl_{1.78}$, YAl_2 and $LaAl_2$, 309

Gallium
new experimental results and improvement of the modelization of the (Ga, Mg) system, 25

Germanides
new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $Ho_3Pd_4Ge_4$ of $Gd_3Cu_4Ge_4$ type, 329
standard molar enthalpies of formation of Hf_3Ge_2, MeGe (Me ≡ Ir, Pt) and Pt_2Ge, 301

Gold
microstructure of AuCu II in the disordered f.c.c. phase of AuCu–14at.%Ag alloy, 147
X-ray study of ordered phase formation in $Au_{31.6}Cu_{68.4}$, $Au_{50}Cu_{50}$ and $Au_{75}Cu_{25}$, 133
age-hardening characteristics in an AuCu–14at.%Ag alloy, 269

Holmium
new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $Ho_3Pd_4Ge_4$ of $Gd_3Cu_4Ge_4$ type, 329

Hydrides
Na_3RhH_6, Na_3IrH_6 and Li_3IrH_6, new complex hydrides containing isolated $[RhH_3]^{3-}$ and $[IrH_6]^{3-}$ octahedra, 255
synthesis and structure of Li_3RhH_4, a ternary hydride containing planar $[RhH_4]^{3-}$ structural units, 263
thermal conductivity of niobium hydrides in the temperature range 4.2–420 K, 233

Hydrogen-metal reactions
hydriding of an industrial Al–2.7wt.%Li–Cu–Mg–Zr alloy, 7
mixed mechanisms controlling hydrogen–metal reactions under steady state conditions: the diffusion-interface mechanism, 77

Insertion reactions
redox reactions in condensed oxide systems XIII: Li insertion reaction of $MgTiO_3$ and the spinels Mg_2TiO_4, $MgNiMNO_4$ and MMn_2O_4 (M ≡ Mn, Mg, Ni), 347

Interatomic spacing
spin-glass-like behaviour of manganese-based amorphous Mn × X alloys (X ≡ 3d, 4d, 5d metals) and its dependence on the Mn–Mn interatomic spacing, 285

Iridium
$Ba_{12}Ir_{12-x}Nb_xO_{36}$ ($x = 2,4$) — a new compound with the 12R-perovskite stacking variant, 141
Na_3RhH_6, Na_3IrH_6 and Li_3IrH_6, new complex hydrides containing isolated $[RhH_3]^{3-}$ and $[IrH_6]^{3-}$ octahedra, 255

Iron
magnetic properties of $Tm_2Fe_{17}N_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115
phase relations of the Sm–Fe–Ti system around the compound $SmFe_{11}Ti$, 215

structural analysis of the hard ferromagnetic phase observed in quenched Nd–Fe alloys of hyper eutectic composition, 184
structural characterization of FePdP: stabilization of a new polytype of the MM'X series, 105

Lanthanides
$Pr_2(OH)_3H_2O(ClO_4)_3$, a new example of an inner-sphere lanthanide perchlorate complex, 337
Lead
high pressure phase $PtPb_2$: synthesis, structure and properties, 1
Lithium
hydriding of an industrial Al–2.7wt.%Li–Cu–Mg–Zr alloy, 7
redox reactions in condensed oxide systems XIII: Li insertion reaction of $MgTiO_3$ and the spinels Mg_2TiO_4, $MgNiMNO_4$ and MMn_2O_4 (M ≡ Mn, Mg, Ni), 347
synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $Li_2Ta_3N_5$, 47
syntheses and structure of Li_3RhH_4, a ternary hydride containing planar $[RhH_4]^{3-}$ structural units, 263

Magnesium
a new structure type with trigonal-bipyramidal coordination of copper: $BaMg_2Cu_8V_6O_{26}$, 69
thermodynamic assessment of the $YO_{1.5}$–MgO system, L1
mixed-crystal formation and metal distribution in the system MgO–AO–V_2O_5 (A ≡ Ni, Zn, Cu), 61
new experimental results and improvement of the modelization of the (Ga, Mg) system, 25
Magnetic properties
spin-glass-like behaviour of manganese-based amorphous Mn×X alloys (X ≡ 3d, 4d, 5d metals) and its dependence on the Mn–Mn interatomic spacing, 285
Manganese
new AMnX compounds where A ≡ Rb, Cs and X ≡ P, As, Sb, Bi: structure and magnetism, 167
spin-glass-like behaviour of manganese-based amorphous Mn×X alloys (X ≡ 3d, 4d, 5d metals) and its dependence on the Mn–Mn interatomic spacing, 285
Mercury
molar heat capacities of CdTe, HgTe and CdTe–HgTe alloys in the solid state, 13

Neodymium
a Raman study of neodymium(III) oxide peroxide, $Nd_2O_2(O_2)$ at ambient and high pressures, L17
structural analysis of the hard ferromagnetic phase observed in quenched Nd–Fe alloys of hyper eutectic composition, L5
Neptunium
molecular structure and charge distribution in organometallics of the 4f and 5f elements
I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $An(C_5H_5)_4$, 89
Nickel
mixed-crystal formation and metal distribution in the system MgO–AO–V_2O_5 (A ≡ Ni, Zn, Cu), 61
thermodynamics of the ternary Ci–Ni–Zn f.c.c. solutions, 295
Niobium
$Ba_{12}Ir_{12-x}Nb_xO_{36}$ ($x = 2,4$) – a new compound with the 12R-perovskite stacking variant, 141
single-crystal X-ray diffraction studies of $BaNb_4O_6$ and $Ba_2Nb_5O_9$, 123
thermal conductivity of niobium hydrides in the temperature range 4.2–420 K, 233
Nitrogen
magnetic properties of $Tm_2Fe_{17}N_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115
on a thermodynamic approach to the chemical phenomena involved in the formation of a BN interphase by CVD/CVI from a BF_3–NH_3 precursor, 187
synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $Li_2Ta_3N_5$, 47

Oxides
Redox reactions in condensed oxide systems XIII: Li insertion reaction of $MgTiO_3$ and the spinels Mg_2TiO_4,

$MgNiMNO_4$ and MMn_2O_4 (M ≡ Mn, Mg, Ni), 347

Oxygen
- a Raman study of neodymium(III) oxide peroxide, $Nd_2O_2(O_2)$ at ambient and high pressures, 186
- $Ba_{12}Ir_{12-x}Nb_xO_{36}$ ($x = 2,4$) — a new compound with the 12R-perovskite stacking variant, 141
- a new structure type with trigonal-bipyramidal coordination of copper: $BaMg_2Cu_8V_6O_{26}$, 69
- thermodynamic assessment of the $YO_{1.5}$–MgO system, L1
- mixed-crystal formation and metal distribution in the system MgO–AO–V_2O_5 (A ≡ Ni, Zn, Cu), 61
- single-crystal X-ray diffraction studies of $BaNb_4O_6$ and $Ba_2Nb_5O_9$, 123
- standard Gibbs free energy of formation of $BaCuO_2$ and $BaCu_2O_2$ from oxides, 225
- a new structure type with trigonal-bipyramidal coordination of copper: $BaMg_2Cu_8V_6O_{26}$, 69

Palladium
- impedance analysis of hydrogen adsorption on palladium in 0.1 M NaOH solution, 97
- the binary systems Pd–Sb and Pt–Sb, 173
- structural characterization on FePdP: stabilization of a new polytype of the MM'X series, 105

Perchlorates
- $Pr_2(OH)_3H_2O(ClO_4)_3$, a new example of an inner-sphere lanthanide perchlorate complex, 337

Phase diagram
- the phase diagram of the Ce–Ru system, 241

Phase relations
- phase relations of the Sm–Fe–Ti system around the compound $SmFe_{11}Ti$, 215
- standard Gibbs free energy of formation of $BaCuO_2$ and $BaCu_2O_2$ from oxides, 225

Phosphorus
- new AMnX compounds where A ≡ Rb, Cs and X ≡ P, As, Sb, Bi: structure and magnetism, 167
- structural characterization of FePdP: stabilization of a new polytype of the MM'X series, 105

Photomechanical effect
- photomechanical effect in p-type zinc telluride, 247

Platinum
- high pressure phase $PtPb_2$: synthesis, structure and properties, 1
- the binary systems Pd–Sb and Pt–Sb, 173

Propylene
- X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159

Rare earth
- structure refinement of two cadmium rare earth selenospinels $CdTm_2Se_4$ and $CdHo_2Se_4$, 185

Redox reactions
- Redox reactions in condensed oxide systems XIII: Li insertion reaction of $MgTiO_3$ and the spinels Mg_2TiO_4, $MgNiMNO_4$ and MMn_2O_4 (M ≡ Mn, Mg, Ni), 347

Rhodium
- Na_3RhH_6, Na_3IrH_6 and Li_3IrH_6, new complex hydrides containing isolated $[RhH_3]^{3-}$ and $[IrH_6]^{3-}$ octahedra, 255
- synthesis and structure of Li_3RhH_4, a ternary hydride containing planar $[RhH_4]^{3-}$ structural units, 263

Rubidium
- new AMnX compounds where A ≡ Rb, Cs and X ≡ P, As, Sb, Bi: structure and magnetism, 167

Ruthenium
- the phase diagram of the Ce–Ru system, 241

Samarium
- phase relations of the Sm–Fe–Ti system around the compound $SmFe_{11}Ti$, 215

Selenospinels
- structure refinement of two cadmium rare earth selenospinels $CdTm_2Se_4$ and $CdHo_2Se_4$, L13

Silver
- age-hardening characteristics in an AuCu–14at.%Ag alloy, 269

Sodium hydroxide
impedance analysis of hydrogen adsorption on palladium in 0.1 M NaOH solution, 97
Structure
$Pr_2(OH)_3H_2O(ClO_4)_3$, a new example of an inner-sphere lanthanide perchlorate complex, 337
structural analysis of the hard ferromagnetic phase observed in quenched Nd–Fe alloys of hyper eutectic composition, L5
structure refinement of two cadmium rare earth selenospinels $CdTm_2Se_4$ and $CdHo_2Se_4$, L13
synthesis and structure of Li_3RhH_4, a ternary hydride containing planar $[RhH_4]^{3-}$ structural units, 263
Synthesis
Na_3RhH_6, Na_3IrH_6 and Li_3IrH_6, new complex hydrides containing isolated $[RhH_3]^{3-}$ and $[IrH_6]^{3-}$ octahedra, 255
synthesis and structure of Li_3RhH_4, a ternary hydride containing planar $[RhH_4]^{3-}$ structural units, 263

Tantalum
synthesis and crystal structure of a mixed-valent lithium-tantalum nitride $Li_2Ta_3N_5$, 47
Tellurium
molar heat capacities of CdTe, HgTe and CdTe–HgTe alloys in the solid state, 13
photomechanical effect in p-type zinc telluride, 247
Ternary chalcogenides
preparation and characterization of Be-containing ternary chalcogenides with layered composite crystal structure, 319
Ternary phases
new ternary holmium-transition metal-germanides Ho_2OsGe_2 of Sc_2CoSi_2 type and $Ho_3Pd_4Ge_4$ of $Gd_3Cu_4Ge_4$ type, 329
Thermal conductivity
thermal conductivity of niobium hydrides in the temperature range 4.2–420 K, 233
Thermodynamics
thermodynamics of the ternary Co–Ni–Zn f.c.c. solutions, 295
Thorium
molecular structure and charge distribution in organometallics of the 4f and 5f elements
I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $An(C_5H_5)_4$, 89
Thulium
magnetic properties of $Tm_2Fe_{17}N_x$ studied by means of the ^{169}Tm and ^{57}Fe Mössbauer effect, 115
Titanium
phase relations of the Sm–Fe–Ti system around the compound $SmFe_{11}Ti$, 215

Uranium
molecular structure and charge distribution in organometallics of the 4f and 5f elements
I: dipole moment and charge distribution of the actinoid(IV) tetracyclopentadienides, $An(C_5H_5)_4$, 89

Vanadium
a new structure type with trigonal-bipyramidal coordination of copper:$BaMg_2Cu_8V_6O_{26}$, 69
mixed-crystal formation and metal distribution in the system $MgO–AO–V_2O_5$ (A ≡ Ni, Zn, Cu), 61
on the crystal chemistry of oxovanadates: γ-CoV_2O_6 and MnV_2O_6, 39

Yttrium
thermodynamic assessment of the $YO_{1.5}$–MgO system, L1
X-ray photoelectron spectroscopy study of the interaction of carbon monoxide and propylene with dysprosium and yttrium surfaces, 159

Zinc
mixed crystal formation and metal distribution in the system $MgO–AO–V_2O_5$ (A ≡ Ni, Zn, Cu), 61
photomechanical effect in p-type zinc telluride, 247
thermodynamics of the ternary Co–Ni–Zn f.c.c. solutions, 295